DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/08/2021 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 445525			(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED		
		B. WING				12/16/2020	
NAME OF PROVIDER OR SUPPLIER NHC PLACE AT THE TRACE			STREET ADDRESS, CITY, STATE, ZIP CODE 8353 HIGHWAY 100 NASHVILLE, TN 37221				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			×	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)	(X5) COMPLETION DATE	
F 000	A COVID-19 Focus was conducted by t 16, 2020. The facili compliance with 42 regulations and has Centers for Disease	sed Infection Control Survey the State Agency on December ty was found to be in CFR §483.80 infection control s implemented the CMS and e Control and Prevention ed practices to prepare for	F	000			
ABORATORY	DIRECTOR'S OR PROVID	ER/SUPPLIER REPRESENTATIVE'S SIGN	IATURE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued

program participation.

Facility ID: TN1940

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/08/2021 **FORM APPROVED** OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
		445525	B. WING		12/16/2020	
NAME OF PROVIDER OR SUPPLIER NHC PLACE AT THE TRACE			STREET ADDRESS, CITY, STATE, ZIP CODE 8353 HIGHWAY 100 NASHVILLE, TN 37221			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	BE COMPLÉTIO	
A C Sur Dec in c	vey was conduction to the conduction was conducted to the	ed Emergency Preparedness ted by State Agency The facility was found to be the facility was related to to the facility was related to the fac	EO			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

Facility ID: TN1940

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Division of Health Care Facilities

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED		
		A. BOILDING.				
TN1940		B. WING		12/1	6/2020	
NAME OF PROVIDER OR SUPPL	ER STREET AD	DRESS, CITY,	STATE, ZIP CODE			
NHC PLACE AT THE TRAC	21					
PREFIX (EACH DEFICIE	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PROVIDER'S PLAN OF CORRECTI PREFIX (EACH CORRECTIVE ACTION SHOUL TAG CROSS-REFERENCED TO THE APPRO DEFICIENCY)		(X5) COMPLETE DATE	
was conducted 16, 2020. The fa compliance with has implemente Disease Control recommended p	cused Infection Control Survey by the State Agency on December cility was found to be in infection control regulations and d the CMS and Centers for and Prevention (CDC) ractices to prepare for COVID-19 200-8-6, Standards for Nursing	N 000				

Division of Health Care Facilities

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE